

An estimate of cigarette consumption by sex, age and cohort in Canada, 1921-75

G.F. Todd  
Honorary Research Fellow,  
Department of Medical Statistics and Epidemiology,  
London School of Hygiene and Tropical Medicine,  
London, England.

April 1978

109874750

Table 3.3

(a) Consumption in quinquennium and (b) cumulative consumption at end of quinquennium of manufactured and hand-rolled cigarettes (manufactured cigarette equivalent, equal tobacco content basis) (in thousands) per person by cohort - Men

Central year of birth		Age										
		15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69
1908	(a)	4.7	13.2	14.3	17.7	22.2	25.5	23.9	26.6	29.6	28.1	12.6
	(b)	4.7	18.0	32.1	49.8	71.9	97.5	121.4	149.0	178.6	206.6	219.3
1911	(a)	6.1	13.0	17.7	22.2	25.5	26.1	27.5	29.6	28.1	27.1	
	(b)	6.1	19.1	36.8	58.9	84.5	110.5	138.0	167.6	195.8	222.8	
1916	(a)	5.8	16.2	22.2	25.5	26.1	30.1	29.6	28.1	27.1		
	(b)	5.8	22.2	44.2	69.7	95.8	125.9	155.5	183.7	210.6		
1921	(a)	7.4	20.5	25.5	26.1	30.1	32.3	28.1	27.1			
	(b)	7.4	27.9	53.4	79.5	109.6	141.8	169.8	197.0			
1926	(a)	9.3	23.5	26.1	30.1	32.3	30.4	27.1				
	(b)	9.3	32.8	59.0	89.0	121.3	151.6	178.7				
1931	(a)	10.6	24.3	30.1	32.3	30.4	29.4					
	(b)	10.6	34.9	65.0	97.2	127.6	156.9					
1936	(a)	10.9	27.7	32.3	30.4	29.4						
	(b)	10.9	38.6	70.8	101.2	130.6						
1941	(a)	12.6	29.8	30.4	29.4							
	(b)	12.6	42.4	72.8	102.2							
1946	(a)	13.3	28.3	29.4								
	(b)	13.3	41.6	71.0								
1951	(a)	12.8	27.3									
	(b)	12.8	40.0									
1956	(a)	12.4										
	(b)	12.4										

109874751

Table 3.4

(a) Consumption in quinquennium and (b) cumulative consumption at end of quinquennium of manufactured cigarettes (in thousands) per person by cohort - Women

Central year of birth		Age										
		15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69
1906	(a)	0	0.4	0.7	1.5	2.9	4.6	4.6	7.5	10.0	11.9	3.3
	(b)	0	0.4	1.1	2.6	5.5	10.0	14.6	22.1	32.1	44.0	47.3
1911	(a)	0	0.7	1.5	2.9	4.6	6.0	7.5	10.0	11.9	13.5	
	(b)	0	0.7	2.2	5.1	9.7	15.7	23.2	33.2	45.1	58.6	
1916	(a)	0	1.5	2.9	4.6	6.0	10.0	10.0	11.9	13.5		
	(b)	0	1.5	4.4	8.9	15.0	25.0	35.0	46.9	60.4		
1921	(a)	0	2.7	4.6	6.0	10.0	13.3	11.9	13.5			
	(b)	0	2.7	7.3	13.3	23.4	36.7	48.5	62.1			
1926	(a)	0	4.4	6.0	10.0	13.3	15.7	13.5				
	(b)	0	4.4	10.4	20.4	33.8	49.5	63.0				
1931	(a)	0.9	5.8	10.0	13.3	15.7	17.9					
	(b)	0.9	6.8	16.8	30.1	45.8	63.7					
1936	(a)	1.8	9.5	13.3	15.7	17.9						
	(b)	1.8	11.3	24.6	40.3	58.2						
1941	(a)	2.7	12.8	15.7	17.9							
	(b)	2.7	15.5	31.2	49.1							
1946	(a)	3.7	15.0	17.9								
	(b)	3.7	18.6	36.5								
1951	(a)	5.5	17.0									
	(b)	5.5	22.4									
1956	(a)	7.3										
	(b)	7.3										

109874752