

CIA

B1

<u>Puff Volume</u>	<u>Died</u>	<u>Survive</u>
10 ml	1	
25	0	
50	0	

Dr Hofmann

Dr. Ayres Results. C112 Finished.
C113

Whether \bar{e} these cigs. ~~to~~ to be smoked both ways as in may?

Expt under evaluation 1st under way
2nd

End of this month.

Cellanese

Isoprene good maker
for BP

105610468

E.B. 15. (Kia)

Janus Results per Telephone 15/10/66

<u>Puff Volume</u>	<u>Reaction</u>	<u>Mice alive</u>
10 ml	4	192
25 ml	0	229
50 ml	0	239

in-totally
No. alive per puffing

ME

105610469

Janus Results 31st Oct - 6th Nov.

2nd Long Term Test

<u>Puff Volume</u>	<u>Died.</u>	<u>Nicotine Poisoning</u>	<u>enteritis</u>	<u>Accident.</u>	<u>Alive.</u>
10 ml	17	14	2	1	196
25 ml	1	1	-	-	229
50 ml	0	-	-	-	239.

Letter to D.G.F. on Nicotine content of 50 mg dry condensate

Dr. Madteich was asked to advise us of their requirements for 80 cigarettes for the quarter starting December 1st.

J.L.E. 8/11/66.

105610470