

46D-2
SRE/VEC/46D-2

31st October, 1966

Dr. A. Hofmann,
Battelle-Institut e.V.,
Frankfurt am Main W13,
Wiesbadenerstrasse,
W. Germany.

Dear Dr. Hofmann,

In the absence of Dr. Ayres I am sending by Air Parcel Post:-

4 Cambridge Filter Holders, Complete
2 Spare "O" rings
approx 200 Cambridge filter pads.

I have also arranged for the withdrawal of approximately 1000
cigarettes Code No. 224003 which will be dispatched within the next
two days.

Yours sincerely,



S.R. Evelyn

c.c. JANUS File

105610482

Copy for: JANUS File

DGF/VC/46D-2

31st October, 1966

Dr. R. R. Griffith,
P.O. Box 659,
LOUISVILLE 1.

Dear Bob,

JANUS - VICEROY SAMPLE

The toxicity trial with the initial sample of 20,000 cigarettes, which you sent us, is now under way.

As you know, the main test is scheduled to start on 1st January 1967 and, as we can expect some minor difficulties in shipping the cigarettes to Battelle over the Christmas holidays, we would prefer to send the first quarterly shipment by the middle of December.

It would consequently help us in our planning if you could give me some indication of when we may expect to receive, at Southampton, the consignment of B2 cigarettes.

By the time you receive this the Tobacco Chemists' Conference will be over and Wally and Geoff Hook will be at Louisville. I hope you are all enjoying the get together.

With kindest regards,

Yours sincerely,



C.c. Dr. S. J. Green

105610483

DGF/VC/46D-2

31st October, 1966

Dr. W. Miedreich,
Battelle Institut E.V.,
FRANKFURT AM MAIN 113,
Wiesbadenerstrasse.

Dear Dr. Miedreich,

I am writing to confirm my telephone conversation with you this morning during which we agreed that the dose level for the second long term test (Test B1 - Effect of puff volume) will be fixed at 50 mg. Having studied the mortality figures of the mice found during the last month, we have come to the same conclusion as you at Frankfurt that any attempt to raise the dose level at this time to 75 mg. may jeopardise the whole experiment because of the possible further increase in mortality. It would seem that the 10 ml. puff volume produces condensate which is more toxic than might be expected. Dr. Ayres may perhaps have already discussed this matter with you, but I would be grateful if you could arrange for Dr. Klendl to re-check the nicotine contents of the three condensates produced at different puff volumes. I understand that there is no significant difference in these contents when painted at the same level of condensate, in which case this points to an interesting difference in the toxicities which may be due to other components.

As requested in your recent hand written note, we are arranging to send you the Cambridge filter holders and filter pads required for the ciliastasis tests (Tests CA1 and CA2). We will also send you a further consignment of cigarettes, Code 224003, in order to complete the toxicity tests before the third long term test. We may send you slightly less than the 1000 cigarettes for which you asked because we shall retain a small reference sample for checking with the main batch of cigarettes when they arrive.

105610404

Dr. W. Miedreich

31st October, 1966

I have also started enquiries going as to the whereabouts of the sample R973 which should have been despatched from London Airport on October 27th. If I have a reply in time, I will include it as a postscript.

With kindest regards,

Yours sincerely,

C.c. Dr. W. Schwick

P.S. Following our second telephone conversation today, during which you told me that the cigarettes were in customs at Frankfurt, we will take no further action.

Not on original or Dr. Schwick's copy:

C.c. Sir Charles Ellis
Dr. S. J. Green
JANUS File

105610485