

CRAWFORD

11/24/74



- no suppress generation
- nothing to design
- eliminate or will coating
- suppress dirty taste
- maintain smooth taste

need something else that will ^{most likely} affect taste
 of specimen with no taste no taste
 but limit mouth coating may come in

... based ...
 ... tolerance ...
 ... manufacturing ...

SRM - Cost, time, etc.
DEC System
 govt to do something about it

?

102405179

CRAWFORD

11/24/79



- suppress peristalsis
- withhold digestion
- alterable or shell coating
- suppress digestive taste
- maintain smooth taste

Need something else to do with ^{most likely} lipid taste
 of species with will not with the smooth taste
 but a kind mouth coating may come in

... to be ... based ...
 ... to appear to appear to ...
 ...

SRM - Cont. Line for Automatic Injection
DEC System.
 part to do something about it



102405179



Summary of Situation

1. ...
2. 204 - 204 ventilator to 10 mg, Cor Pulale 200
3. Cost & availability of automatic injection system
4. 4 ES with a will find us enhance...

102405180

18 months ago.

Pat Dunn, Andy Schaffers

Result: Player's Special Blend.
Brand now national

David Gowell - Presentation

International brands in a new & unique
Canadian product

_____ Product Quality Value US Blend
must be examined.

Review of America cigarette market & Canada (1 1/2%)
but high awareness of U.S. brands which
were mainly purchased in U.S. Major delights
Taste, Smell & Strength
↓
Aroma major drawback/delight

Hybrid interesting presentation < Modified Canada
Product
(graph. - Canadian)
Modified U.S.
Product

Thursday

UK or Europe taste not real / different / not there

Five US minimal throat

Hybrids - AMB must be explored as
not popularity. Canada / America
market

Hybrid not a niche. Canada & America but
as a whole new category of cigarette for
mass appeal

Experimentation / 100%

Time for / 100%

Kentucky leaf.

Product / 100%

102405181

- Ted to send Marilyn in lance
- discuss for success to IFL.
- IFF New Jersey or Amstede.
- SRM will contact William Bizon about places.

ERIE taken stage of H. H. H.

I low to high of this current
high bran

II like low water to 7 are are checking to
it - slum clarity

I -

1. low to high of this current
high bran

2. like low water to 7 are are checking to
it - slum clarity

3. low to high of this current
high bran

4. like low water to 7 are are checking to
it - slum clarity

102405185

20

102405186

BATCo document for Province of British Columbia 14 April 1999

102405186

BATCo document for Province of British Columbia 14 April 1999

102405187

102405187

Level 1 - 1000 ft
Level 2 - 2000 ft
Level 3 - 3000 ft

→ with respect to the work
Wavelength 1000 ft

400
1000
2000
3000

Level 1 - 1000 ft
Level 2 - 2000 ft
Level 3 - 3000 ft

Level 1 - 1000 ft
Level 2 - 2000 ft
Level 3 - 3000 ft

102405187

